

MEDICAL EQUIPMENT SET PATIENT HOLDING



Support and Consumables Handbook

6545-01-496-4819

UA 261A

LIN M29633

Semper Responsus

REVISED

October 2012

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the

U.S. Army Medical Materiel Agency
Office of PM, Medical Devices
Acquisition Information Division
693 Neiman Street
Fort Detrick, MD 21702-5001

This manual is a living document and may contain inaccuracies due to changes in mission requirements or equipment updates. To report corrections or additions please contact:

Customer Relationship Management
301-619-1288/4301, DSN 343-1288/4301, or at:

USAMMACRM@amedd.army.mil

**For additional equipment item information, visit the
USAMMA Medical Equipment Literature section on the web at
[<http://www.usamma.army.mil/med equip lit cdroms.cfm>](http://www.usamma.army.mil/med equip lit cdroms.cfm)**

**Review the Master Table of Contents for all of the
published USAMMA Medical Equipment CDs at
[<http://www.usamma.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>](http://www.usamma.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf)**

**You can also order a copy of each published CD by completing and submitting the form at
[<http://www.usamma.army.mil/CDROM Requests form.cfm>](http://www.usamma.army.mil/CDROM Requests form.cfm)**

NOTE: CLICK ON TITLE
FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	LARYNGOSCOPE SET	(L) 6515-01-534-2369	1
2	OTOSCOPE & OPHTHALMOSCOPE SET	(H) 6515-01-333-3165	7
3	OXIMETER PULSE PORTABLE FINGERTIP	(J) 6515-01-557-1136	13
4	PANEL MODULAR MEDICAL PRIMARY CARE	(L) 6530-01-518-0118	19
5	PANEL MODULAR MEDICAL TRAUMA	(L) 6530-01-515-7651	25
6	PUMP INTRAVENOUS INFUSION	(J) 6515-01-550-5669	31
7	REFRIGERATOR UNDERCOUNTER	(L) 4110-01-504-1157	37
8	RESUSCITATION KIT MOUTH TO MASK PEDS	(L) 6515-01-513-9276	41
9	SUCTION APPARATUS SURGICAL PROGRAMMABLE	(J) 6515-01-435-0050	51
10	THERMOMETER KIT CLINICAL	(J) 6515-01-523-9935	57
11	VITAL SIGNS MONITOR	(J) 6515-01-432-2707	65

Please provide all comments at the website link listed below.

https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377

Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

LARYNGOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN

Manufacturer Model# MIL5072

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: [<http://www.welchallyn.com>](http://www.welchallyn.com)

AAC 'L' ITEM NSN 6515-01-534-2369

UAs: 257B, 261A, 506A, 625A, 9120, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$425.00

System Description: Laryngoscope Set Fiber Optic Battery Operated with Case

Features:

- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations
- Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade
- Improved design with reduced proximal blade height assists in intubating patients with limited oral access
- Single-piece stainless steel blades ensure blade integrity (no soldered joints)



LARYNGOSCOPE SET FIBER OPTIC WITH 3 BLADES
PART # MIL5072
NSN 6515015342369



CASE LARYNGOSCOPE SET FIBER OPTIC
PART # 05701-U
NSN 6515015343305



**BLADE LARYNGOSCOPE #3 MACINTOSH REUSABLE
PART # 69213
NSN 6515014673430**



**HANDLE LARYNGOSCOPE SIZE C
PART # 60813
NSN 6515014451082**



BLADE LARYNGOSCOPE #3 MACINTOSH 126MM CURVED REUSABLE
PART # 69063
NSN 6515014451085



BLADE LARYNGOSCOPE #3 MILLER 198MM STRAIGHT
PART # 68063
NSN 6515015194239

LARYNGOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	4.75
	Width (Inches)	14
	Length (Inches)	19.5
	Cube (Cubic Feet)	0.7504
	Weight	9.545 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	Battery Operated 1.5 Volt C Cell Batteries - 2	
Notes		

**LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015342369		Laryngoscope Set	MIL5072		1	EA	\$425.00	\$425.00	N/A
6135009857846	See Additional Note Below	Battery Non-Rechargeable Alkaline 1.5 Volt C Cell	ANSI C18.1M		2	EA	Incl w/NSN 2369	Incl w/NSN 2369	36
6240015269631		Lamp, Cartridge	608125- 501		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014451082		Handle 'C' Size	60813		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014451085		Blade Laryngoscope Macintosh Size 3 Fiber Optic Curved 126mm	69063		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014673430		Blade Laryngoscope English Macintosh Size 3 Fiber Optic	69213		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015194239		Blade Laryngoscope Miller Size 3 Fiber Optic Straight 198mm	68063		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015194257	spare bulb	Bulb Laryngoscope	06000-U		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015343305		Case, Laryngoscope	05701-U		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A

**LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857846	See Additional Note Below	Battery Non-Rechargeable Alkaline 1.5 Volt C Cell	ANSI C18.1M		1	12/PG	\$6.32	\$6.32	36
6240015269631		Lamp, Cartridge	608125- 501		1	EA	\$50.00	\$50.00	N/A
6515014451082		Handle 'C' Size	60813		1	EA	\$79.34	\$79.34	N/A
6515014451085		Blade Laryngoscope Macintosh Size 3 Fiber Optic Curved 126mm	69063		1	EA	\$110.00	\$110.00	N/A
6515014673430		Blade Laryngoscope English Macintosh Size 3 Fiber Optic	69213		1	EA	\$85.43	\$85.43	N/A
6515015194239		Blade Laryngoscope Miller Size 3 Fiber Optic Straight 198mm	68063		1	EA	\$85.43	\$85.43	N/A
6515015194257		Bulb Laryngoscope	06000-U		1	6/PG	\$30.37	\$30.37	N/A
6515015343305		Case, Laryngoscope	05701-U		1	EA	\$48.00	\$48.00	N/A

**LARYNGOSCOPE SET
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

OTOSCOPE & OPHTHALMOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 92821

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: [<http://www.welchallyn.com>](http://www.welchallyn.com)

Item Web Link:

[<http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249>](http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249)

AAC 'H' ITEM NSN 6515-01-333-3165

UAs: 256C, 261A, 267B, 268B, 269B, 506A, 623A, 7054, N315, N316, N320, N413, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$271.70

System Description: This item is a hand-held, battery powered, lighted instrument for examining the external canal and tympanic membrane of the ear and also for viewing the interior of the eye or examining the retina.

Features:

- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has six aperture selections for general and specialist use, and 48 lenses for better resolution
- 2.5V Otoscope also has a built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip



OTOSCOPE & OPHTHALMOSCOPE SET
PART # 92821
NSN 6515013333165

OTOSCOPE & OPHTHALMOSCOPE SET

PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	2
	Width (Inches)	6
	Length (Inches)	10
	Cube (Cubic Feet)	0.0694
	Weight	1.05 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	0.0992
	Weight	2.11 lbs
Storage Temp		-4 to 120 °F
Operating Temp		50 to 104 °F
Storage Humidity		95% max humidity
Operating Humidity		
Amps		
Watts		
Power Requirements	Two 1.5 VDC AA Batteries	
Notes		

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
651501333165		Otoscope & Ophthalmoscope Set	92821		1	SE	\$271.70	\$271.70	N/A
6515015205725	See Additional Note Below	Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111F	21111	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205763	See Additional Note Below	Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13010	13000	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205778	See Additional Note Below	Otoscope-Ophthalmoscope Handle 2.5V for 651501333165	72843	72830	2	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Literature Operation	PM130023 -4		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Specula, Assorted	21103-U		1	SE	Incl w/NSN 3165	Incl w/NSN 3165	N/A

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery NonRechargeable Alkaline AA 1.5V 36 Months Shelf Life 24s	20-0571- 1988 NEDA 15A		1	24/PG	\$41.60	\$41.60	36
6515013294847		Speculum Otoscope Slit Type 4mm Disposable	52434		1	1000/P G	\$19.25	\$19.25	N/A
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	\$59.97	\$59.97	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	\$12.60	\$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	\$13.21	\$13.21	N/A
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	\$130.00	\$130.00	N/A
6515015205778		Otoscope-Ophthalmoscope Handle 2.5V for 651501333165	72830		1	EA	\$53.24	\$53.24	N/A
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237- 010A		1	850/PG	\$22.65	\$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237- 020A		1	850/PG	\$22.65	\$22.65	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	\$12.00	\$12.00	N/A

OTOSCOPE & OPHTHALMOSCOPE SET

ADDITIONAL NOTE:

The Welch-Allyn part number on the start-up list is deliberately different from Resupply part number, although they are the same item, per manufacturer.

OXIMETER PULSE PORTABLE FINGERTIP

[TOC](#)

DISTRIBUTOR: OWENS & MINOR
MANUFACTURER: NONIN MEDICAL INC.

Distributor Model# 473009550

Manufacturer Model# 9550

Distributor's PHONE: (804) 723-7000 FAX: (804) 723-7100

Manufacturer's PHONE: (540) 662-8000 FAX: (800) 590-0081

Distributor's Website: [<http://www.owens-minor.com>](http://www.owens-minor.com)

Manufacturer's Website: [<http://www.nonin.com>](http://www.nonin.com)

Item Web Link:

[<http://www.nonin.com/PulseOximetry/Fingertip/Onyx9550>](http://www.nonin.com/PulseOximetry/Fingertip/Onyx9550)

AAC 'J' ITEM NSN 6515-01-557-1136

UAs: 009A , 246C , 256C , 257B , 261A , 269B , 506A , 623A , N413 , N513 , N713 , P301 , P307 , P308 , P309 , P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: \$545.48

System Description: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9550 Pulse Oximeter. Just place over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9550 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

Features: The portability and functionality of the Onyx II makes it a valuable tool in any situation where a fast and accurate reading of blood oxygen saturation and pulse rate is needed.

- Oxygen Saturation Range: 0-100 percent SpO2
- Pulse Rate Range: 18-321 bpm
- Small & Lightweight. Carry the Onyx II anywhere – on a lanyard, in a carrying case or in your pocket. It weighs less than 2 oz.
- Large Bright LED Display. SpO2 and Pulse Rate that can be read from any angle, day or night.
- Pulse Quality Indicator. Brilliant, easy-to-see LED provides a quick and accurate assessment of patient readings.
- Pediatric to Adult Finger Sizes. Accommodates a wide range of finger thicknesses, 0.3 inch - 1.0 inch (8 mm to 26 mm).
- Automatic On/Off
- Energy Efficient. A new turn-off mechanism allows two AAA batteries to provide approximately 2500 spot-checks or 21 hours of continuous operation.
- Durable & Reliable. Rugged enough to be used in the most demanding situations. The Onyx II has the US Army aeromedical certification for use in helicopters.
- 2 AAA Batteries and Instruction / Service Manual included



PULSE OXIMETER
PART # 473009550
NSN 6515015571136



PULSE OXIMETER - FINGER
PART # 473009550
NSN 6515015571136



OXIMETER PULSE PORTABLE FINGERTIP PEDIATRIC-ADULT INCL SOFT CASE
PART # 473009550
NSN 6515015571136

**OXIMETER PULSE PORTABLE FINGERTIP
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	1.3
	Width (Inches)	1.27
	Length (Inches)	2.2
	Cube (Cubic Feet)	0.0021
	Weight	2 oz
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-22 to 122 °F
Operating Temp		32 to 104 °F
Storage Humidity		10 to 95% Non- condensing
Operating Humidity		10 to 90% Non- condensing
Amps		
Watts		
Power Requirements	Two 1.5 VDC AAA Batteries	
Notes	<p> Hyperbaric Pressure: Up to 4 atmospheres Blood Oxygen Saturation (%SpO2 ± 1SD) Accuracy: 70 – 100% ± 2 digits Pulse Rate Accuracy: 20 – 250 bpm ± 3% Red Measurement Wavelengths: 660 nanometers Infrared Measurement Wavelengths: 910 nanometers Numeric Displays: Two 3-digit LED's Pulse Strength Displays: Tricolor LED segments Pulse Rate Range: 18 to 321 pulses per min Oxygen Saturation Range (%SpO2): 0 to 100 % </p>	

**OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015571136		Oximeter Pulse Portable Fingertip	9550	473009550	1	EA	\$545.48	\$545.48	N/A
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		2	EA	Incl w/NSN 1136	Incl w/NSN 1136	36
NSN Not Required		Case, Soft Carrying Standard	9550CC- BC	473009550	1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
NSN Not Required		Literature, Operator	9550INS		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A

**OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	30/PG	\$3.00	\$3.00	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		1	12/PG	\$1.72	\$1.72	36

**OXIMETER PULSE PORTABLE FINGERTIP
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

PANEL MODULAR MEDICAL PRIMARY CARE

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-PC

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/newwebsite/commerce%20cart/osc/product_info.php?cPath=0_232&products_id=1809&osCsid=7ff83bb829fa933b62396f6f642b3d44

AAC 'L' ITEM NSN 6530-01-518-0118

UAs: 261A , 267B , 268B , 269B , 512A , 625A , 921B , N513 , N713 , P309 , P310 , P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$280.00

System Description: The RAMMP-PC (Rapid Access Modular Medical Panel, Primary Care) is designed to integrate with all military aircraft, ground vehicles, and fixed or temporary facilities. The Panel provides organized storage with immediate access to medical equipment and supplies. The RAMMP-PC panel is Pediatric Advanced Life Support (PALS) covered so medical operators can add or reconfigure pouches to suit mission needs. Pouches are configured on a hanging panel which conceals a bellows pocket and internal slots for long items and cervical collars. Systems focus on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. The Panel itself and each modular pocket are marked with removable, low light visible labels. Custom Nametapes available at additional cost. Panel can be rapidly employed to perform "tail gate" medicine wherever trauma care is required on the battlefield. Designed to USASOC (United States Army Special Operations Command) specifications.

Features:

- MOLLE (MOdular Lightweight Load-carrying Equipment) compatible
- Constructed of 1000 Denier DuPont Cordura Plus fabric, double layered
- 138 weight bonded nylon parachute harness thread
- Strength rated nylon webbing and tapes
- Stress points anchored by double stitching, bar tacks, and box x's
- Velcro™ and Rip and Grip™ mil spec hook and loop fastener
- Flat panel covered with PALS (Pouch Attachment Ladder System) webbing
- Eight hidden PALS / MOLLE modular pockets
 - Four full-width interior storage
 - One half-panel bellows
 - Six small
 - Two medium
 - One long
 - One flat
- Modular pouches are secured by #10 zippers
- Two carrying handles
- Concealed shoulder straps



PANEL MODULAR MEDICAL PRIMARY CARE (OPEN)
PART # RAMMP-PC
NSN 6530015180118



PANEL MODULAR MEDICAL PRIMARY CARE
PART # RAMMP-PC
NSN 6530015180118



PANEL MODULAR MEDICAL PRIMARY CARE (FOLDED)
PART # RAMMP-PC
NSN 6530015180118

**PANEL MODULAR MEDICAL PRIMARY CARE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015180118		Panel Modular Medical Primary Care	RAMMP- PC		1	EA	\$280.00	\$280.00	N/A

**PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

PANEL MODULAR MEDICAL TRAUMA

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-T

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: [<http://www.specopstech.com>](http://www.specopstech.com)

Item Web Link:

[<http://specopstech.com/osc/product_info.php?cPath=197_232&products_id=1809&page=medical>](http://specopstech.com/osc/product_info.php?cPath=197_232&products_id=1809&page=medical)

AAC 'L' ITEM NSN 6530-01-515-7651

UAs: 256C , 257B , 261A , 267B , 268B , 269B , 506A , P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$752.15

System Description: Fully customizable panel for trauma care providers working in the field or from a fixed platform. These systems offer the utmost in flexibility and bridge the gap between aid bags and larger storage containers with a streamlined, highly organized modular system. System focuses on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. Panels can be hung both vertically & horizontally in temporary and permanent facilities as well as fitting fixed wing, rotary wing and ground mobility vehicles. Systems can be carried backpack or suitcase style. All pouches are removable and interchangeable accommodating mission specific customization. Pouches are labeled and have see-through vinyl for easy content recognition.

Folded 20" x 19"

Expanded 20" x 45"

Features: This impressive modular medical bag features 10 internal modular zippered pockets (9 with snap backs and 1 Velcro™ back) that have Velcro™ labels covering Assessment, Airway, Breathing, Chest Tube, Circulation A, Circulation B, Medication, Burn Care, Splinting and IV Therapy. The bag also has 5 outer pockets (4 with Velcro™ closure and 1 zipper). The bag can be secured in the folded position with two side and end buckles. Plus each end has 4 heavy duty grommets. There are carrying handles on each end and in the middle for carrying when folded. The pack also features shoulder and backpack straps.



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - OPEN
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - IN USE
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - FOLDED
PART # RAMMP-T
NSN 6530015157651

**PANEL MODULAR MEDICAL TRAUMA
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015157651		Panel Modular Medical Trauma	RAMMP-T		1	EA	\$752.15	\$752.15	N/A

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

PUMP INTRAVENOUS INFUSION

TOC

DISTRIBUTOR: CARDINAL HEALTH

MANUFACTURER: CAREFUSION

Manufacturer Model# 2865B

Distributor's PHONE: (614) 757-5000 FAX: (847) 689-1742

Manufacturer's PHONE: (858) 617-2000 FAX: (858) 617-2900

Distributor's Website: [<http://www.cardinal.com>](http://www.cardinal.com)

Manufacturer's Website: [<http://www.carefusion.com/>](http://www.carefusion.com/)

Item Web Link:

[<http://www.carefusion.com/products-and-services/products-services-categories/infusion/msiii-pump.aspx>](http://www.carefusion.com/products-and-services/products-services-categories/infusion/msiii-pump.aspx)

AAC 'J' ITEM NSN 6515-01-550-5669

UAs: 257B , 261A , 267B , 512A , 905C , 912B , P301 , P307 , P308 , P309 , P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$5,979.24

System Description: The multi-channel infusion system brings clinical versatility to drug infusion technology. The instrument combines three independent infusion channels with features like dose rate calculation and portability in a small, compact size.

Features:

- A small, compact size and lightweight design
- Reduced bedside clutter
- Accuracy - delivers intravenous, intra-arterial, epidural and subcutaneous applications
- Flexibility - delivers a wide range of fluids from various containers, including syringes, utilizing a syringe adapter set
- Versatility - able to travel with patients in the field and throughout their hospital stay, meeting a wide range of infusion needs; unique clamping system allows pump attachment virtually anywhere
- Set-based free-flow protection - SmartSite® needle-free valve ports and standard injection ports are available
- Dose rate calculation, single-page programming, selectable drug library and titration of drugs by the user in either dose or volumetric rate

NOTE: Only one Field Maintenance Software & Drug List Editor Kit will ship per 100 units OR one with each order placed -- not one with each unit purchased.



PUMP INTRAVENOUS INFUSION PORTABLE BATTERY OPERATED
PART # 2865B
NSN 6515015505669



ADMINISTRATIVE SET PIGGY BACK
PART # 72213N
NSN 6515014164032



ADMINISTRATIVE SET MAIN STREAM LINE
PART # 28034
NSN 6515014348712

**PUMP INTRAVENOUS INFUSION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	7.9
	Width (Inches)	6
	Length (Inches)	2.1
	Cube (Cubic Feet)	0.0576
	Weight	3.6 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	5.0 lbs
Storage Temp		
Operating Temp		50 to 104 °F
Storage Humidity		90%
Operating Humidity		90%
Amps		54 mA
Watts		6
Power Requirements	110/120 VAC, 60 Hz; Main Rechargeable Nicad Battery, Memory Backup Non-rechargeable Lithium, minimum 6 hours with all three channels at 125 mL/hr	
Notes		

**PUMP INTRAVENOUS INFUSION
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015505669		Pump Intravenous Infusion		2865B	1	EA	\$5,979.24	\$5,979.24	N/A
6515014164032		Administration Set Infusion Pump Secondary 20dropml Ster Disp100		72213N	1	100/PG	Incl w/NSN 5669	Incl w/NSN 5669	N/A
6515014523445		Administration Set Infusion Pump Vented/Unvented 50s		28034E	1	50/PG	Incl w/NSN 5669	Incl w/NSN 5669	N/A
6515015408027		Adapter, AC	2861089		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
Not Required	One per shipment; not one per IV Pump	Field Maintenance Software & Drug List Editor Kit	10015452	10015452	1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
NSN Not Required		Literature, Maintenance	2863012		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
NSN Not Required		Literature, Operator	10551005		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A

**PUMP INTRAVENOUS INFUSION
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013384706		Administration Set Winged Scalp Vein Pediatric 25gax3/8"Ndl 120s	4573-01		1	120/PG	\$99.90	\$99.90	N/A
6515014164032		Administration Set Infusion Pump Secondary 20dropml Ster Disp100		72213N	1	100/PG	\$103.00	\$103.00	N/A
6515014348712		Administration Set Infusion Pump Vented/Unvented Ster Disp 50s		28034	1	50/PG	\$172.50	\$172.50	N/A
6515014502035		Administration Set Infusion Pump Alaris Compatible 85" 50s	28117E		1	50/PG	\$209.48	\$209.48	N/A
6515014523445		Administration Set Infusion Pump Vented/Unvented 50s		28034E	1	50/PG	\$247.50	\$247.50	N/A
6515014523450		Administration Set Infusion Pump Blood IV Tubing 20s	28080E		1	20/PG	\$242.70	\$242.70	N/A
6515014570562		Administration Set Infusion Pump Vented/Nonvented Mini 100s		42133E	1	100/PG	\$398.48	\$398.48	36
6515015408027		Adapter, AC	2861089		1	EA	\$254.19	\$254.19	N/A
6515015616204		Administration Set Intravenous Fluids Needleless Coil Tubing 50s	9610150		1	50/PG	\$319.63	\$319.63	36
6515015891810		Administration Set Intravenous Fluids Coiled Tubing 96" 60 Drop 50 Per Package	9660150		1	50/PG	\$258.84	\$258.84	36
NSN Not Required		Literature, Maintenance	2863012		1	EA	\$100.00	\$100.00	N/A
NSN Not Required		Literature, Operator	10551005		1	EA	\$0.00	\$0.00	N/A

PUMP INTRAVENOUS INFUSION
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

REFRIGERATOR UNDERCOUNTER

TOC

MANUFACTURER: SO-LOW ENVIRONMENTAL

Manufacturer Model# MV4-6UCR

Manufacturer's PHONE: (513) 772-9410 FAX: (513) 772-0570

Manufacturer's Website: <http://www.so-low.com>

Item Web Link:

http://www.so-low.com/undercounter_refrigerator.htm

AAC 'L' ITEM NSN 4110-01-504-1157

UAs: 213B, 214A, 214B, 215B, 218A, 218B, 220B, 261A, 263C, P302

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,374.90

System Description: Refrigeration for Health, Science, and Industry. Durable commercial grade construction assures dependable performance and long operational life.

Models cool quickly and efficiently to avoid temperature fluctuations that can result in failure of expensive research, misleading test results, or weakened medicines, vaccines, and reagents.

General purpose undercounter models are Commercial UL and CUL listed. Hazardous location and flammable material storage models have appropriate UL listings. All refrigerators use non-CFC R134a refrigerant.

General purpose models can be built into casework and under lab benches.

- Features:**
- Capacity: 6.1 cu ft (173 L)
 - Temperature range: 33.8 to 44.6 °F (1 to 7 °C)
 - Commercial UL listed
 - Auto Defrost
 - Forced air ventilation through front grille
 - No additional clearance required for under-counter installation
 - R134a refrigeration system
 - 3 in-door shelves
 - Double insulated power cord with three-prong, green dot hospital grade plug
 - Exterior 22 gauge steel, powder-coated paint finish
 - Vacuum-formed, high-impact polystyrene interior
 - Seamless, rounded corners inside for easy cleaning



REFRIGERATOR UNDERCOUNTER 6.1 CU FT
PART # MV4-6UCR
NSN 4110015041157



REFRIGERATOR UNDERCOUNTER 6.1 CU FT
PART # MV4-6UCR
NSN 4110015041157

REFRIGERATOR UNDERCOUNTER

PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	34
	Width (Inches)	24
	Length (Inches)	24
	Cube (Cubic Feet)	11.3333
	Weight	120 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		3.3
Watts		379.5
Power Requirements	115 VAC, 50/60 Hz	
Notes		

**REFRIGERATOR UNDERCOUNTER
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN So-Low Environme ntal	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
4110015041157		Refrigerator Undercounter	MV4- 6UCR		1	EA	\$1,374.90	\$1,374.90	N/A

**REFRIGERATOR UNDERCOUNTER
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

RESUSCITATION KIT MOUTH TO MASK PEDS

[TOC](#)

MANUFACTURER: ARMSTRONG MEDICAL INDUSTRIES, INC.

Manufacturer Model# AE-4700

Manufacturer's PHONE: (847) 913-0101 FAX: (847) 913-0138

Manufacturer's Website: <http://www.armstrongmedical.com>

Item Web Link:

<http://www.armstrongmedical.com/index.cfm/go/product.detail/sec/3/ssec/14/fam/150>

AAC 'L' ITEM NSN 6515-01-513-9276

UAs: 257B, 261A, 267B, 269B, 625A, 9120, N513, N713, P301, P308, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,755.00

System Description: This Resuscitation Kit is designed for emergency pediatric care. It comes with 28 size-specific procedural modules in a color-coded, easy-to-use kit.

Features: The Resuscitation Kit is a complete set of seven color-coded, pediatric size-specific packs designed for children 7 to 79 pounds in emergency situations. Each of the seven packs contains:

- Intraosseous Access Module
- Oxygen Delivery Module
- Intubation Module
- IV Delivery Module

Also includes a Broselow® Pediatric Emergency Tape, which rapidly provides:

- Medical dosage information
- Size-specific equipment information

Other features:

- Latex free
- Heavy duty advanced life support equipment organizer
- Approved for the Pediatric Advanced Life Support (PALS) education program



RESUSCITATION KIT, MOUTH TO MASK
PART # AE-4700
NSN 6515015139276



MODULES, PROCEDURAL
PART # AE-4712
NSN 6515015139488



EQUIPMENT PACK
PART # AE-4703
NSN 6515015139497



MEASURING TAPE
PART # AE-4800
NSN 6530014657011



ORGANIZER BAG AND POUCHES
PART # AE-4805
NSN Not required



"FLYING CARPET," PREFILLED POUCHES, AND MEASURING TAPE
PART # AE-4701
NSN Not Required



MEASURING TAPE DEMONSTRATION

**RESUSCITATION KIT MOUTH TO MASK PEDS
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	14
	Width (Inches)	17
	Length (Inches)	18
	Cube (Cubic Feet)	2.4792
	Weight	18 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**RESUSCITATION KIT MOUTH TO MASK PEDS
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Armstrong Medical Industries, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015139276		Resuscitation Kit Mouth To Mask Peds	AE-4700		1	EA	\$1,755.00	\$1,755.00	N/A
6515015139488	See Tables Below for Contents	Modules, Procedural, Pediatric Resuscitation	AE-4712		1	28/PG	Incl w/NSN 9276	Incl w/NSN 9276	N/A
6515015139497	See Table Below for Equipment Pack Contents	Equipment Pack, Replacement Pediatric Resuscitation Broselow	AE-4703		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A
6530014657011	Start-up Qty Atypical	Tape Measuring Resuscitation Pediatric Broselow Flex 5S	AE-4800		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A
NSN Not required		Outer Shell Carry Case	AE-4704		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A

**RESUSCITATION KIT MOUTH TO MASK PEDS
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Armstrong Medical Industries, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015139488	See Tables Below for Contents	Modules, Procedural, Pediatric Resuscitation	AE-4712		1	28/PG	\$868.00	\$868.00	N/A
6515015139497	See Table Below for Equipment Pack Contents	Equipment Pack, Replacement Pediatric Resuscitation Broselow	AE-4703		1	EA	\$615.00	\$615.00	N/A
6530014657011	Start-up Qty Atypical	Tape Measuring Resuscitation Pediatric Broselow Flex 5S	AE-4800		1	5/PG	\$120.00	\$120.00	N/A
NSN Not Required	Incl Prefilled Packs and 1 Tape	Broselow Flying Carpet	AE-4701		1	SE	\$1,169.00	\$1,169.00	N/A
NSN Not Required	See Table Below for Details	Broselow Nylon Color Packs			1	4/PG	\$1,106.00	\$1,106.00	N/A
NSN Not required	Incl Velcro cloth and empty pouches	Organizer Bag, Pouches, Airway & Main Bag	AE-4805		1	EA	\$395.00	\$395.00	N/A
NSN Not required		Outer Shell Carry Case	AE-4704		1	EA	\$270.00	\$270.00	N/A

RESUSCITATION KIT MOUTH TO MASK PEDS

ITEM TABLES

AE-4712 IV Delivery Module Contents; Cost Shown is for One 2/PG

COLOR	IV Safety Catheter	IV Safety Catheter	IV Prep Kit	Extension Set	P/N	Cost
PINK/RED	22 Gauge x 1"	24 Gauge x 3/4"	1 Each	1 Each	7700 RIV	\$67.00
PURPLE	20 Gauge x 1"	24 Gauge x 3/4"	1 Each	1 Each	7700 PIV	\$67.00
YELLOW	18 Gauge x 1.25"	22 Gauge x 1"	1 Each	1 Each	7700 YIV	\$67.00
WHITE	22 Gauge x 1"	18 Gauge x 1.16"	1 Each	1 Each	7700 WIV	\$67.00
BLUE	20 Gauge x 1.25"	18 Gauge x 1.25"	1 Each	1 Each	7700 BIV	\$67.00
ORANGE	20 Gauge x 1.16"	18 Gauge x 1.16"	1 Each	1 Each	7700 OIV	\$67.00
GREEN	20 Gauge x 1.25"	18 Gauge x 1.25"	1 Each	1 Each	7700 GIV	\$67.00

AE-4712 Intubation Module Contents; Cost Shown is for One 2/PG

COLOR	Laryngoscope Blade Size(s)	Endotracheal Tube, Uncuffed	Suction Catheter Size	Nasogastric Tube Size	P/N	Cost
ORANGE	Miller # 2, Mac # 2	6.0 mm	10 French	14 French	7700OIN	\$60.00
GREEN	Miller # 3, Mac # 3	6.5 mm	12 French	18 French	7700GIN	\$60.00
PINK/RED	Miller # 1	3.5 mm	8 French	8 French	7700RIN	\$60.00
PURPLE	Miller # 1	4.0 mm	10 French	8 French	7700PIN	\$60.00
YELLOW	Miller # 2	4.5 mm	10 French	10 French	7700YIN	\$60.00
WHITE	Miller # 2	5.0 mm	10 French	10 French	7700WIN	\$60.00
BLUE	Miller # 2, Mac # 2	5.5 mm	10 French	14 French	7700BIN	\$60.00
Common to All IN Modules: 36" Adhesive Tape Lubricating Jelly 3" x 3" Gauze Pad Endotracheal Tube Stylet						

AE-4712 Oxygen Delivery Module Contents

COLOR	Berman Oral Airway Size	Pediatric Oxygen Mask with 7' Tubing	P/N	Qty/Issue	Cost
PINK/RED	5 cm	1 Each	7700RAW	2/PG	\$29.00
PURPLE	6 cm	1 Each	7700PAW	2/PG	\$24.00
YELLOW	6 cm	1 Each	7700YAW	2/PG	\$24.00
WHITE	6 cm	1 Each	7700WAW	2/PG	\$24.00
BLUE	7 cm	1 Each	7700BAW	2/PG	\$24.00
ORANGE	8 cm	1 Each	7700OAW	2/PG	\$24.00
GREEN	8 cm	1 Each	7700GAW	2/PG	\$24.00

AE 4712 Intraosseous Module Contents

COLOR	Sternal/Iliac Aspiration Needle	Extention Set, Sterile	P/N	Qty/Issue	Cost
PINK/RED	15 Gauge Adjustable Length	1 Each	7700RIO	2/PG	\$84.00
PURPLE	15 Gauge Adjustable Length	1 Each	7700PIO	2/PG	\$84.00
YELLOW	15 Gauge Adjustable Length	1 Each	7700YIO	2/PG	\$84.00
WHITE	15 Gauge Adjustable Length	1 Each	7700WIO	2/PG	\$84.00
BLUE	15 Gauge Adjustable Length	1 Each	7700BIO	2/PG	\$84.00
ORANGE	15 Gauge Adjustable Length	1 Each	7700OIO	2/PG	\$84.00
GREEN	15 Gauge Adjustable Length	1 Each	7700GIO	2/PG	\$84.00

Broselow Nylon Color Packs

P/N	Description	Qty	U/I	Cost
7730RED	Pink/Red Pack with Four Modules	1	4/PG	\$158.00
7730PUR	Purple Pack with Four Modules	1	4/PG	\$158.00
7730YEL	Yellow Pack with Four Modules	1	4/PG	\$158.00
7730WHI	White Pack with Four Modules	1	4/PG	\$158.00
7730BLU	Blue Pack with Four Modules	1	4/PG	\$158.00
7730ORG	Orange Pack with Four Modules	1	4/PG	\$158.00
7730GRN	Green Pack with Four Modules	1	4/PG	\$158.00

AE 4703 Equipment Pack Contents

Description	Qty	Notes
Manual Resuscitators (Disposable)	2 Each	Baby Blue™ & Pedi Blue™
Blood Pressure Cuffs (Disposable)	3 Each	Infant, Child, Small Adult
Blood Pressure Manometer Gauge	1 Each	Fits any of the BP Cuffs
Vital View II™ LED Fiber Optic Handles	2 Each	Laryngoscope Handles
Magill Forceps	2 Each	One Small, One Large
Cuff Masks	4 Each	Two Infant, One Child, One Small Adult

SUCTION APPARATUS SURGICAL PROGRAMMABLE

TOC

MANUFACTURER: IMPACT INSTRUMENTATION INC.

Manufacturer Model# 800-0326-04

Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993

Manufacturer's Website: <http://www.impactii.com>

Item Web Link:

<http://www.impactinstrumentation.com/326.html>

AAC 'J' ITEM NSN 6515-01-435-0050

UAs: 249B , 256C , 257B , 258C , 261A , 267B , 269B , 512A , 625A , 905C , 912B , N305 , N316 , N320 , N436 , N477 , N513 , N713 , P301 , P307 , P308 , P309 , P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,758.56

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit, built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power and internal rechargeable batteries provide power for several hours of transport or emergency backup. Collection canister assembly includes a reusable collection jar, canister, elbows and fittings. The 326 also includes Air Worthiness Release (AWR).

Features:

- AC/DC rechargeable battery operation
- Simultaneous battery recharge and operation
- Dual-scale metric/English vacuum gauge
- Extended operation between recharges
- Energy efficient, easy to use
- Oil-less vacuum pump
- Exceeds all clinical standards for upper airway & gastrointestinal suctioning
- 2 universal collection canister brackets hold 2 canisters up to 2000 ml capacity each
- Patient adaptable intermittent suction
- Continuously variable programmable selections
- Small/lightweight/versatile
- EMI/RFI certified for aeromedical use
- Built-in wall/pole mounting bracket interface
- Low battery indicator
- 2 Velcro straps to attach unit to a litter – 1” x 24” w/ 18” loop in the middle and a 3” hook at the ends



SUCTION APPARATUS, SURGICAL PROGRAMMABLE - OPEN CASE
 PART # 800-0326-04
 NSN 6515014350050



SUCTION APPARATUS, SURGICAL PROGRAMMABLE
 PART # 326M

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	11.5
	Width (Inches)	9.5
	Length (Inches)	4.87
	Cube (Cubic Feet)	0.3079
	Weight	12 lbs
Ship Dimensions	Height (Inches)	18
	Width (Inches)	7.25
	Length (Inches)	24
	Cube (Cubic Feet)	1.8125
	Weight	29 lbs
Storage Temp		
Operating Temp		-4 to 120 °F
Storage Humidity		
Operating Humidity		Tested to level required for Air Worthiness - 94±4%RH, 85° F±3.6°
Amps		2.5 Steady State
Watts		100
Power Requirements	115/230 VAC, 50-400 Hz; Battery pack, rechargeable, sealed lead acid	
Notes	Operating Time: Minimum, 2 hours-cycled Recharge Time: Maximum, 16 hours Free Air Flow - Continuous: 30 Liters per Minute (lpm) Free Air Flow - Intermittent: 5-8 Liters per Minute (lpm) Vacuum Range - Continuous: Adjustable, 0-550 mmHg (0-22" Hg) Vacuum Range - Intermittent: Adjustable, 0-220 mmHg (0-8" Hg)	

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014350050		Suction Apparatus Surgical Programmable	800-0326-04		1	EA	\$2,758.56	\$2,758.56	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	18
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		2	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5920015085022	Available in Kit	Fuse	081-0020-00		1	EA	\$1.05	\$1.05	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	\$116.34	\$116.34	18
6515011942187	Available in Kit	Filter Disp U/W Pn 326M Or 306M Reusable Canister App Surg	465-0005-00		1	EA	\$15.48	\$15.48	N/A
6515015039456	1000cc reusable Available in Kit	Collection Canister Assembly	703-0326-07		1	EA	\$82.72	\$82.72	N/A
6515015043306	Available in Kit	Cable, Power, Charger, AC/DC	703-0326-06		1	EA	\$357.94	\$357.94	N/A
6515015085047		Filter, Hydrophobic/Bacterio Static, Disposable	465-0005-05		1	5/PG	\$45.23	\$45.23	N/A
6515015096877	Available in Kit	Cable, Power, DC, Vehicle Lighter	708-0326-01		1	EA	\$53.80	\$53.80	N/A
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	\$173.73	\$173.73	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	\$145.25	\$145.25	N/A
6515015097331	Available in Kit	Velcro Strap	334-0020-00		1	EA	\$47.68	\$47.68	N/A
6515015098638	Available in Kit	Bracket Assembly, Canister	334-0030-00		1	EA	\$31.11	\$31.11	N/A
6515015117007		Tubing, Suction, 72 inch	820-0018-50		1	50/PG	\$168.00	\$168.00	N/A
6515015117017	Available in Kit	Tubing, Suction, 24 inch	540-0051-00		1	EA	\$4.27	\$4.27	N/A
6515015117023	Available in Kit	Tubing, Clear, 12 inch	540-0068-00		1	EA	\$0.97	\$0.97	N/A
6515015117034	Available in Kit	Tubing, Clear, 18 inch	540-0055-00		1	EA	\$3.32	\$3.32	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015117035	Available in Kit	Tubing, Suction, 72 inch	820-0018-00		1	EA	\$5.76	\$5.76	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	\$743.57	\$743.57	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		1	EA	\$36.00	\$36.00	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE WEB LINKS

[Click Below for Specification Sheet](#)

[<http://www.impactinstrumentation.com/images/326.pdf>](http://www.impactinstrumentation.com/images/326.pdf)

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

[<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>](http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm)

SUCTION APPARATUS SURGICAL PROGRAMMABLE
ITEM TABLES

Parts Kit Suction Apparatus Contents

COMPONENT	NSN	PN	QTY	UI
Bracket Universal Collection Jar Assembly	6515 015098638	334-0030-00	2	EA
Cable Suction Apparatus DC Power	6515 015096877	708-0326-01	1	EA
Canister Assembly, Collection 1000cc Reusable	6515 015039456	703-0326-07	2	EA
Charger Suction Apparatus	6515 015043306	703-0326-06	1	EA
Filter Disposable Suction Apparatus	6515 011942187	465-0005-00	2	EA
Fuse Cartridge 250V 2A Midget	5920 015085022	081-0020-00	2	EA
Straps Self Fastening Velcro	6515 015097331	334-0020-00	2	EA
Tubing Suction Surgical 12 Inch	6515 015117023	540-0068-00	1	EA
Tubing Suction Surgical 18 Inch	6515 015117034	540-0055-00	2	EA
Tubing Suction Surgical 24 Inch	6515 015117017	540-0051-00	2	EA
Tubing Suction Surgical 72 Inch	6515 015117035	820-0018-00	1	EA

THERMOMETER KIT CLINICAL

TOC

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: [<http://www.welchallyn.com>](http://www.welchallyn.com)

Item Web Link:

[<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001198.htm>](http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001198.htm)

AAC 'J' ITEM NSN 6515-01-523-9935

UAs: 174A , 256C , 257B , 261A , 268B , 269B , 506A , 625A , 905C , N316 , N320 , N413 , N477 , N513 , N713 , P308 , P309 , P310 , P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$557.87

System Description: The digital thermometer is battery operated and comes with three extra AA batteries. It comes in a case with inserts and includes an oral probe, a rectal probe, probe case, and four boxes of 25 probe covers. The thermometer can be mounted to the wall.

Features:

- Ergonomic design - comfortable to hold, easy to use, and very durable
- Interchangeable, removable probe wells reduce the risk of cross-contamination
- Large LCD display with location identification capability
- Includes a 60-second pulse timer for counting pulses and respirations
- Mechanical or electronic security options to help prevent theft
- Takes approximately 5,000 readings on 3 "AA" batteries



THERMOMETER, DIGITAL
PART # 01692-200
NSN 6515015257595



THERMOMETER KIT, CLINICAL WITH CASE
PART # 01692-MC
NSN 6515015239935



WITH PROBE ATTACHED
PART # 01692-MC
NSN 6515015239935



PROBE AND WELL KIT, ORAL 4 INCH
PART # 02893-000
NSN 6515015331281



PROBE AND WELL KIT, RECTAL 4 INCH
PART # 02892-000
NSN 6515015324146

THERMOMETER KIT CLINICAL

PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	1.9 lbs
Ship Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	3.0 lbs
Storage Temp		-4 to 122 °F
Operating Temp		50 to 104 °F
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	1.5 VDC AA Batteries - 3	
Notes	Patient Temperature Range: 80 to 110 °F ± 0.2 °F	

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015239935		Thermometer Kit Clinical	01692-MC		1	EA	\$557.87	\$557.87	N/A
6135009857845	See Notes 1 & 2 Below	Batteries, Alkaline (AA)			6	EA	Incl w/NSN 9935	Incl w/NSN 9935	36
6515013738659	See Note 1 Below	Cover, Electronic Thermometer Probe, Plastic, Disposable			4	25/PG	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6685015726374		Soft Case	701861		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Batteries, Alkaline (AA)	W-B-101 CL12		1	24/PG	\$41.60	\$41.60	36
6515012031332		Cover, Electronic Thermometer Probe Plastic Disposable	05031-101		1	1000/P G	\$23.00	\$23.00	N/A
6515013738659		Cover Electronic Thermometer Probe Plastic Disposable 100S	416-100		1	100/PG	\$6.82	\$6.82	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	\$466.67	\$466.67	N/A
6515015324116		Holder Probe and Well Thermometer	21330- 0000		1	EA	\$10.83	\$10.83	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	\$88.31	\$88.31	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	\$102.26	\$102.26	N/A
6685015726374		Soft Case	701861		1	EA	\$50.00	\$50.00	N/A

**THERMOMETER KIT CLINICAL
ADDITIONAL NOTE:**

Note 1: Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

Note 2: Three batteries come with the unit; three extra ones are inside the soft case.

**THERMOMETER KIT CLINICAL
WEB LINKS**

Click Below for User's Manual

<http://www.welchallyn.com/documents/Thermometry/Electronic%20Thermometry/SureTemp%20690/71213_0000_stplus_usermanual_2009_02_04.pdf>

VITAL SIGNS MONITOR

[TOC](#)

MANUFACTURER: WELCH ALLYN

Manufacturer Model# PROPAQ 206EL W/PULSE OXIMETRY

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: [<http://www.welchallyn.com>](http://www.welchallyn.com)

Item Web Link:

[<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001101.htm>](http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001101.htm)

AAC 'J' ITEM NSN 6515-01-432-2707

UAs: 257B , 261A , 267B , N432 , P308 , P309 , P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$13,077.98

System Description: Rugged, lightweight, portable vital signs monitor for field use.

Features:

- Motion tolerant monitoring
- Small, lightweight
- Easy to use
- Modular
- Ruggedized
- Automatic sensor detection


Tests Performed:

- Heart/Pulse rate
- 3-5 Lead ECG
- Non Invasive BP
- 2 Channel Invasive BP
- Temperature
- Pulse Oximetry
- Respiration

NOTE: New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Vital Signs Monitor.




MONITOR PATIENT VITAL SIGNS W SPO² AND EXPANSION MODULE WITH PRINTER
PART # Propaq 206 EL w/Pulse Oximetry
NSN 6515014322707



PROPAQ 206 EL VITAL SIGNS MONITOR, RIGHT SIDE VIEW
PART # Propaq 206 EL w/Pulse Oximetry
NSN 6515014322707



**5 LEAD ECG CABLE, WITH ATTACHED LEAD WIRES
PART # 008-0313-00**



**NIBP CUFF, ADULT STUFF W TWIST LOCK CONNECTOR
PART # 008-0628-00**



**CABLE, PULSE OXIMETRY, 8 FEET
PART # 008-0742-00**




**HOSE, NIBP ADULT-PEDIATRIC
PART # 008-0238-00**



**AC POWER ADAPTER
PART # 503-0054-0**




**DURASENSOR REUSABLE FINGER, SPO2
PART # 900-0021-00**



**NIBP CUFF KIT, ADULT
PART # 008-0324-00**



**NIBP CUFFT, PEDIATRIC, REUSABLE FLEXIPORT
PART # REUSE-09-1MQ**



NIBP CUFF KIT, THIGH
PART # 008-0324-00



TEMPERATURE PROBE
PART # 008-0230-00



VITAL SIGNS MONITOR
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	9.65
	Width (Inches)	8.25
	Length (Inches)	7.56
	Cube (Cubic Feet)	0.3483
	Weight	13.5 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-4 to 140 °F (-20 to 60 °C)
Operating Temp		32 to 104 °F (0 to 40 °C)
Storage Humidity		15 to 95% Non-condensing
Operating Humidity		15 to 95% Non-condensing
Amps		0.5
Watts		60
Power Requirements	110/208 VAC ± 10%, 50/60 Hz; 12-23 VDC	
Notes		

VITAL SIGNS MONITOR ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014322707		Vital Signs Monitor	Propaq 206EL w/Pulse Oximetry		1	EA	\$13,077.98	\$13,077.98	N/A
	Awaiting NSN	Cable, 3 Lead ECG	008-0315- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
	Awaiting NSN	Electrodes, Disposable ECG 3pg	6200-09		1	3/PG	Incl w/NSN 2707	Incl w/NSN 2707	N/A
	Awaiting NSN	NIBP Cuff, Pediatric, Reusable Flexiport	REUSE- 09-1MQ		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125- 00		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	36
6515014128673	See Additional Note 1 Below, 3 Rolls in the case	Paper, Printer	008-0040- 98		3	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014365080		Hose NIBP Adult/Pediatric	008-0238- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE- 11-1MQ		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014989984		Temp Extension Cable, 10 ft for Reusable Temp probe	008-0235- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015010661		Cable, Pulse Oximetry, 8 foot extension	008-0742- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015189559		Military Container	008-0586- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015190163		Pulse Oximetry Probe Reusable Durasensor DS100A	900-0021- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015191100		Cuff Kit, NIBP adult reusable w/"twist lock" connector	008-0324- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054- 02		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015193763		Temp Probe General Purpose Reusable Adult General Purpose	008-0230- 00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015195855		Electrode Electrocardiograph	6200-11		1	30/PG	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Maintenance	810-1316- 04		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084- 03		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Operator	810-2106- 02		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Operator CD Format	810-1719- 04		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A

VITAL SIGNS MONITOR
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	NIBP Cuff, Pediatric, Reusable Flexiport	REUSE- 09-1MQ		1	EA	\$0.00	\$0.00	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125- 00		1	EA	\$148.46	\$148.46	36
6515014128673	See Additional Note 1 Below, 3 Rolls in the case	Paper, Printer	008-0040- 98		1	10/PG	\$27.00	\$27.00	N/A
6515014365080		Hose NIBP Adult/Pediatric	008-0238- 00		1	EA	\$20.00	\$20.00	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE- 11-1MQ		1	EA	\$14.20	\$14.20	N/A
6515014989984		Temp Extension Cable, 10 ft for Reusable Temp probe	008-0235- 00		1	EA	\$49.75	\$49.75	N/A
6515015010661		Cable, Pulse Oximetry, 8 foot extension	008-0742- 00		1	EA	\$65.00	\$65.00	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333- 00		1	EA	\$23.00	\$23.00	N/A
6515015189559		Military Container	008-0586- 00		1	EA	\$576.40	\$576.40	N/A
6515015190163		Pulse Oximetry Probe Reusable Durasensor DS100A	900-0021- 00		1	EA	\$337.00	\$337.00	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313- 00		1	EA	\$91.00	\$91.00	N/A
6515015191100		Cuff Kit, NIBP adult reusable w/"twist lock" connector	008-0324- 00		1	EA	\$94.97	\$94.97	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054- 02		1	EA	\$122.00	\$122.00	N/A
6515015193763		Temp Probe General Purpose Reusable Adult General Purpose	008-0230- 00		1	EA	\$63.32	\$63.32	N/A
6515015195855		Electrode Electrocardiograph	6200-11		1	30/PG	\$22.39	\$22.39	N/A
NSN Not Required		Literature, Maintenance	810-1316- 04		1	EA	\$45.00	\$45.00	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084- 03		1	EA	\$45.00	\$45.00	N/A
NSN Not Required		Literature, Operator	810-2106- 02		1	EA	\$45.00	\$45.00	N/A
NSN Not Required		Literature, Operator CD Format	810-1719- 04		1	EA	\$0.00	\$0.00	N/A

VITAL SIGNS MONITOR
ADDITIONAL NOTE:

1. Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.
2. CD-ROM for Operator familiarization is available.
3. New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Monitor, Patient Vital Signs.

VITAL SIGNS MONITOR
WEB LINKS

Click Below for Reference Guide, Software version 2.5x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/2008_08_12_Propaq_Encore_Reference_Guide.pdf>

Click Below for Reference Guide, Software version 2.4x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/usermanual_20070324_propaqencore_monitor.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

